

Top Mount Ring Height Guide

Ring Size	Saddle Height	Fits Objective
1" Low	0.089	Thru 38mm
1" Medium	0.169	Thru 40mm
1" High	0.332	Thru 44mm
1" X-High	0.560	Thru 50mm
1" See-Thru	0.750	Thru 50mm
30mm Low	0.288	Thru 33mm
30mm High	0.500	Thru 44mm
1" Tip-Off	0.250	Thru 36mm
1" Tip-Off See-Thru	0.750	Thru 50mm

Note: Chart applies to Grand Slam, Sure Grip, Detachable, Quad Lock and Lever Lok Rings.

Dovetail Ring Height Guide

Ring Size	Saddle Height	Fits Objective
1" Low	0.150	Up to 40mm
1" Medium	0.270	Thru 50mm
1" High	0.400	Thru 56mm
1" X-High	0.520	Over 56mm
30mm Medium	0.320	Thru 56mm
30mm High	0.490	Over 56mm
1" Medium .22 Rings	0.262	Thru 40mm
1" High .22 Rings	0.392	Thru 44mm
1" X-High .22 Rings	0.512	Thru 50mm
1" Medium Mod 77/22 & No 1	0.453	Thru 50mm
1" Medium Mod 77	Stepped	Thru 50mm
1" High Mod 77	Stepped	Thru 56mm

Note: Chart applies to Dovetail Rings.

Tactical Style Ring Height Guide

Ring Size	Saddle Height	Fits Objective	Ring Size	Saddle Height	Fits Objective
1" Med	.280"	Thru 40mm	30MM High	.490"	Thru 44mm
1" High	.400"	Thru 44mm	30MM X-High	.610"	Thru 56mm
1" X-High	.520"	Thru 50mm	34MM Low	0.327"	Thru 24mm
1" XX-High	.640"	Thru 56mm	34MM High	.0577"	Thru 44mm
30MM Low	.250"	Thru 38mm	34MM XX-High	0.827"	Thru 56mm
30MM Med	.370"	Thru 40mm			

WEAVER® MOUNT APPLICATIONS CHART MAKE/MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER	NOTES	WEAVER® ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES		STEEL LOCK SEE-THRU RINGS NO BASES REQUIRED	COMPLETE MOUNT SYSTEMS BASES w/RINGS	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES	
		STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC				STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	BASE PAIRS	REAR	FRONT	1-PC	MULTI-SLOT BASES	EXT MULTI-SLOT BASES				REAR	FRONT	REAR	FRONT	1-PC	2-PC
ANSCHUTZ																		
▶ MARK 12		16 (48016)	16 (48016)															
▶ 54, 54MS, 64, 64MS, 164, 1400 SERIES, 1500 SERIES		91 (48091)	91 (48091)										S91 (48241)	S91 (48241)			48964	
▶ 153 DELUXE		19 (48019)	19 (48019)															
▶ 1568		61 (40861)	46 (48046)		402 (48108)						1 (48401)							
Matte		61M (48504)	46M (48502)		402M (48429)				49717				S61 (48234)	S46 (48227)		S402 (48247)		
Silver		61S (48002)	46S (48004)		402S (48430)				49729									
AUSTIN & HALLECK																		
▶ BOLT ACTION RIFLE		85 (48085)	85 (48085)															
AUTO SHOTGUNS																		
▶ ALL AUTOS EXCEPT REM 11-48, 11-87, 1100, SPORTSMAN 48	4											7 (48407)						
BENELLI																		
▶ NOVA 12 GA SHOTGUN (Matte) (Flat Receiver)						423M (48443)												
▶ SUPER BLACK EAGLE, SUPER BLACK EAGLE II, SUPER NOVA, SUPER VINCI, M1 & M2 FIELD GUNS						93A (48506)												
Matte						93AT (48339)												
BERETTA																		
▶ MATO RIFLE		49A (48049)	46 (48046)											S46 (48227)				
▶ 500, 501, 502 (INFO PER BERETTA)		54 (48054)	46 (48046)															
▶ PINTAIL SLUG GUN		35 (48035)	35 (48035)		40A (48040)	40A (48040)												
Matte		35M (48500)	35M (48500)		40AM (48428)	40AM (48428)							S35 (48224)	S35 (48224)	S40A (48243)	S40A (48243)		
Silver		35S (48006)	35S (48006)		40AS (48041)	40AS (48041)												
BRITISH 303																		
▶ WITH ENFIELD ACTION	4, 15																	
BRNO ZB																		
▶ 22 HORNET, 218 BEE		39 (48039)	24 (48024)															
▶ ZB 22		38 (48028)	24 (48024)															
BROWNING																		
▶ 1885 HIGH WALL (OCTAGON BARREL)	1, 3	11 (48011)	29 (48029)															
▶ 22 AUTO	18						60A (48064)											
▶ SAKO ACTIONS IN 243, 308, 22-250, 222 & 222 MAG.		72 (48072)	71 (48071)															
▶ A-BOLT, A-BOLT 22 STALKER; MEDALLION		47 (48047)	47 (48047)															
Black SA																		
Matte LA		47M (48503)	47M (48503)	48462									S47 (48228)	S47 (48228)			48905	

WEAVER® MOUNT APPLICATIONS CHART MAKE/MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER	NOTES	WEAVER® ALUMINUM TOP MOUNT BASES					MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS NO BASES REQUIRED	COMPLETE MOUNT SYSTEMS BASES w/RINGS	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES	
		STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC				STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	BASE PAIRS	REAR	FRONT	1-PC	MULTI-SLOT BASES	EXT MULTI-SLOT BASES				REAR	FRONT	REAR	FRONT	1-PC	2-PC
Matte SH																		48905
Silver		47S (48003)	47S (48003)															
BROWNING (CONT.)																		
▶ A-BOLT SHOTGUN																		
Matte		47M (48503)	419M (48437)															
▶ A-BOLT (EUROPEAN MODEL), MOD 52, 52C	5	85 (48085)	85 (48085)															
▶ A-BOLT III																		
▶ T-BOLT		15 (48015)	15 (48015)															
▶ X-BOLT																		
Matte																		
Silver																		
▶ BOLT ACTION BBR, HI-POWER, OTHER CAL. (OLDER MOD.)		45 (48045)	46 (48046)			402 (48108)						5 (48405)	S45 (48226)	S45 (48226)		S402 (48247)		
Silver		45S (48510)	46S (48004)			402S (48430)												
▶ BAR, BAR II, MARK II, BLR LIGHTNING (LEVER), BPR	5	54 (48054)	54 (48054)							49720								48932
Matte (Base Pair)													S54 (48230)	S54 (48230)				48933
▶ BLR (LEVER ACTION)		25 (48025)	25 (48025)										S25 (48223)	S25 (48223)				
▶ BLR WITH FLAT TOP RECEIVER (OLDER MODELS)		28 (48028)	28 (48028)															
▶ BBR (BOLT ACTION) LONG & SHORT ACTIONS		47 (48047)	46 (48046)			402 (48108)				49718								
Matte		47M (48503)	46M (48502)			402M (48429)							S47 (48228)	S46 (48227)		S402 (48247)		
Silver		47S (48003)	46S (48004)			402S (48430)												
▶ A-BOLT WSSM		427 (48450)	47 (48047)															48911
▶ BAR Matte										432M (48456)								
BSA																		
▶ MONARCH MEDIUM ACTION IN 222, 243 & 308	25	36 (48036)	35 (48035)			40A (48040)	97 (48097)											
Matte		36M (48501)	35M (48500)			40AM (48428)				49712			S36 (48225)	S35 (48224)		S40A (48243)		
Silver		36S (48005)	35S (48006)			40AS (48041)												
▶ CF2, MONARCH LONG ACTION IN 7MM, 270 & 30-06	25	36 (48036)	35 (48035)			40A (48040)	98 (48098)											
Matte		36M (48501)	35M (48500)			40AM (48428)				49712			S36 (48225)	S35 (48224)		S40A (48243)		
Silver		36S (48005)	35S (48006)			40AS (48041)												
▶ OTHER HIGH-POWERS		28 (48028)	28 (48028)															
CARCANO																		
▶ CARCANO	4, 6											1 (48401)						
CARL GUSTAF																		
▶ MOD 2000													S460 (48276)	S460 (48276)				
CHAPPA																		
▶ DOUBLE BADGER							418M (48435)											
CHURCHILL																		
▶ HIGHLANDER		36 (48036)	35 (48035)			40A (48040)												
Matte		36M (48501)	35M (48500)			40AM (48428)				49712			S36 (48225)	S36 (48225)		S40A (48243)		
Silver		36S (48005)	35S (48006)			40AS (48041)												
▶ CIL (QUESTION ON THIS ONE, POSSIBLE A SAVAGE.)																		
▶ 830												1 (48401)						
▶ 871							62 (48062)			49715								
▶ 900		19 (48019)	19 (48019)															
▶ 950 & 950-C		61 (48061)	46 (48046)			402 (48108)						1 (48401)						
Matte		61M (48504)	46M (48502)			402M (48429)				49717			S61 (48234)	S46 (48227)		S402 (48247)		
Silver		61S (48002)	46S (48004)			402S (48430)												
▶ 972-C		45 (48045)	46 (48046)			402 (48108)							S45 (48226)	S46 (48227)		S402 (48247)		
Silver		45S (48510)	46S (48004)			402S (48430)												
COLT																		
▶ 57		45 (48045)	46 (48046)			402 (48108)							S45 (48226)	S46 (48227)		S402 (48247)		
Silver		45S (48510)	46S (48004)			402S (48430)												

WEAVER® MOUNT APPLICATIONS CHART MAKE/MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER	NOTES	WEAVER® ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES		STEEL LOCK SEE-THRU RINGS NO BASES REQUIRED	COMPLETE MOUNT SYSTEMS BASES w/RINGS	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES	
		STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC				STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	BASE PAIRS	REAR	FRONT	1-PC	MULTI-SLOT BASES	EXT MULTI-SLOT BASES				REAR	FRONT	REAR	FRONT		
▶ COLTSMAN IN 223, 243 & 308 CAL. (ROUND RECEIVER)		25 (48025)	25 (48025)										S25 (48223)	S25 (48223)				
▶ COLTSMAN IN 264 & 30-06 CAL. (ROUND RECEIVER)		54 (48054)	54 (48054)						49720				S54 (48230)	S54 (48230)				
▶ COLTSMAN WITH SAKO STYLE ACTION IN 223 & OTHER CAL.		67 (48067)	65 (48065)															
COLT (CONT.)																		
▶ H BAR	10																	
▶ SHARPS		85 (48085)	85 (48085)															
▶ SAUER		35 (48035)	35 (48035)		40A (48040)	40A (48040)												48960
Matte		35M (48500)	35M (48500)		40AM (48428)	40AM (48428)							S35 (48224)	S35 (48224)	S40A (48243)	S40A (48243)		
Silver		35S (48006)	35S (48006)		40AS (48041)	40AS (48041)												
COOY																		
▶ 60 & 600												2 (48402)						
▶ 71		47 (48047)	46 (48046)			402 (48108)			49718			1 (48401)	S47 (48228)	S46 (48227)		S402 (48247)		
Matte		47M (48503)	46M (48002)			402M (48429)							S47 (48228)	S46 (48227)		S402 (48247)		
Silver		47S (48003)	46S (48004)			402S (48430)												
CVA																		
▶ OCTAGON BARRELS / RECEIVERS	17	61A (48504)	61A (48504)															
▶ ROUND BARRELS / RECEIVERS (POST '96 MODELS)		418M (48435)	418M (48435)	48521						48543 MD								
Matte										48544 H								
Silver		418S (48453)	418S (48453)							48550 (2 PC FOR 2010 +)								
ENFIELD WITH RECEIVER CUT DOWN LIKE:																		
▶ REMINGTON 30		11 (48011)	11 (48011)									1 (48401)						
▶ WINCHESTER 70		47 (48047)	46 (48046)			402 (48108)												
Matte		47M (48503)	46M (48002)			402M (48429)			49718				S47 (48228)	S46 (48227)		S402 (48247)		
Silver		47S (48003)	46S (48004)			402S (48430)												
▶ REMINGTON 721		36 (48036)	35 (48035)			40A (48040)												
Matte		36M (48501)	35M (48500)			40AM (48428)			49712				S36 (48225)	S35 (48224)		S40A (48243)		
Silver		46S (48004)	35S (48006)			40AS (48041)												
GARCIA																		
▶ 73						53 (48053)												
▶ 74		67 (48067)	65 (48065)															
GOLDEN EAGLE																		
▶ 7000		71 (48071)	71 (48071)															
GROOVED RECEIVER WITH 3/8" DOVETAILS																		
▶ SEE .22 RING INFORMATION	12								49515									
Silver									49733									
HENRY																		
▶ 30/30 & 45/70 BIG BOY				48492		63B (48069)												
H & R																		
▶ PARDNER PUMP						505 (48113)												
▶ 65, 165, 150 & 151 (AUTO)		18 (48018)	18 (48018)									2 (48402)						
▶ 250, 251, 264, 265, 365, 450 & 550		18 (48018)	16 (48016)									2 (48402)						
▶ 232C SHOTGUN (10 GA.) & 980 ULTRA		19 (48019)	19 (48019)															
▶ 155, SB2 ULTRA (.22-250), TOPPER 158C (1973+), 157						82 (48082)												
▶ 300, 301, 330 & 370 (PRE 1973)		45 (48045)	46 (48046)			402 (48108)						5 (48405)	S45 (48226)	S46 (48227)		S402 (48247)		
Silver		45S (48510)	46S (48004)			402S (48430)												
▶ 300 & 301 S.A. IN 22-250 243 & 308 (1973+)		83 (48083)	84 (48084)															
▶ 300 & 301 L.A. IN 270 30-06 7MM & 300 WIN (1973+)		54 (48054)	46 (48046)			402 (48108)							S54 (48230)	S46 (48227)		S402 (48247)		
▶ 317 & 322		11 (48011)	35 (48035)			40A (48040)												
▶ 317 (PRE 1975)		67 (48067)	65 (48065)															
▶ 360 & 361						81 (48081)												
▶ 700						87 (48087)												
▶ 755, 765, 852 & 865		17 (48017)	21 (48021)									2 (48402)						
▶ 800		12 (48012)	12 (48012)															

WEAVER® MOUNT APPLICATIONS CHART MAKE/MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER	NOTES	WEAVER® ALUMINUM TOP MOUNT BASES					MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS NO BASES REQUIRED	COMPLETE MOUNT SYSTEMS BASES w/RINGS	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES		
		STANDARD 2-PC BASES		EXTENSION BASES		1-PC	1-PC	1-PC	STANDARD				EXTENSION		1-PC	2-PC			
		REAR	FRONT	BASE PAIRS	REAR	FRONT	1-PC	MULTI-SLOT BASES	EXT MULTI-SLOT BASES				REAR	FRONT	REAR	FRONT			
▶ TOPPER 30, 22 JET & MOD 158 (PRE 1973)	18						60A (48064)												
▶ HANDY RIFLE							82 (48082)												
HERTERS																			
▶ J9		45 (48045)	46 (48046)				402 (48108)								S45 (48226)	S46 (48227)		S402 (48247)	
Silver		45S (48510)	46S (48004)				402S (48430)												
▶ U9 BSA ACTION	4	28 (48028)	28 (48028)																
▶ U9 ROUND RECEIVER		36 (48036)	35 (48035)				40A (48040)												
Matte		36M (48501)	35M (48500)				40AM (48428)		49712					S36 (48225)	S35 (48224)		S40A (48243)		
Silver		36S (48005)	35S (48006)				40AS (48041)												
HIGH-STANDARD																			
▶ HIGH-POWER		55 (48055)	46 (48046)				402 (48108)							S55 (48231)	S46 (48227)				
▶ AUTO SHOTGUN																			
HOWA																			
▶ HOWA 1500 S/A		36 (48036)	35 (48035)				40A (48040)											48912	48900
Matte		36M (48501)	35M (48500)				40AM (48428)		49712					S36 (48225)	S35 (48224)		S40A (48243)	48913	48901
Silver		36S (48005)	35S (48006)				40AS (48041)												
▶ HOWA 1500 L/A		36 (48036)	35 (48035)				40A (48040)												
Matte		36M (48501)	35M (48500)				40AM (48428)		99499	48334				S35 (48224)		S40A (48243)	48913	48901	
Silver		36S (48005)	35S (48006)				40AS (48041)		20MOA 99486										
HUSQVARNA																			
▶ 1900, 1900		55 (48055)	46 (48046)																
INTERARMS																			
▶ 92 CARBINE (REPLICA OF WIN. 92)	4																		
▶ ATD	18						60A (48064)												
▶ MARK X	1	55 (48055)	20A (48020)																
▶ MINI MARK X	1	23 (48023)	71A (48010)																
▶ VISCOUNT	1	45 (48045)	46 (48046)				402 (48108)							S45 (48226)	S46 (48227)		S402 (48247)		
ITHACA																			
▶ DEERSLAYER 37 & 87 (12, 16, 20 GA.)							62 (48062)			49715									
▶ LSA-55 & LSA-65		61 (48061)	61 (48061)							49727									
Matte		61M (48504)	61M (48504)											S61 (48234)	S61 (48234)				
Silver		61S (48002)	61S (48002)																
▶ 49SS, .22	4																		
▶ LIGHTNING X3		39 (48039)	39 (48039)																
JAPANESE																			
▶ 6.5MM & 7.7MM	6						70 (48070)												
KNIGHT MUZZLELOADERS																			
▶ KNIGHT MK-85, BK-92 & T-BOLT (FLAT RECEIVERS)		61 (48061)	61 (48061)																
Matte		61M (48504)	61M (48504)											S61 (48234)	S61 (48234)				
Silver		61S (48002)	61S (48002)																
▶ KRB7		45 (48045)	45 (48045)																
Silver		45S (48510)	45S (48510)																
▶ LK-93, WOLVERINE, LEGEND, DISC, AMERICAN, REVOLUTION		45 (48045)	45 (48045)																
Matte														S45 (48226)	S45 (48226)				
Silver		45S (48510)	45S (48510)																
▶ KP1		18 (48018)	18 (48018)																
▶ TK2000																			
KRAG																			
▶ (OFFSET TO LEFT FOR EASY EJECTION)	4																		
LAKEFIELD																			
▶ 22 RIMFIRE	12																		
LEE-ENFIELD																			
▶ LEE-ENFIELD	4, 15						T0-1 (48203)												
MAGNUM RESEARCH																			
▶ LONE EAGLE SSP 91 PISTOL		16 (48016)	16 (48016)																

WEAVER® MOUN T APPLICATIONS CHART MAKE/MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER	NOTES	WEAVER® ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES		STEEL LOCK SEE-THRU RINGS NO BASES REQUIRED	COMPLETE MOUNT SYSTEMS BASES w/RINGS	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES	
		STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC				STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	BASE PAIRS	REAR	FRONT	1-PC	MULTI-SLOT BASES	EXT MULTI-SLOT BASES				REAR	FRONT	REAR	FRONT		
MARLIN																		
▶ 45, 30AS, 336 (ALL MODELS), 444, 1893, 1894, 1895, CAMP 9, 922M, 989, .22 AUTO, (308MX per Marlin)				48492 (336 ONLY)			63B (48069)			49713						48928		
Silver							63BS (48447)											
Matte			48471										S466 (48282)	S466 (48282)			48929	
▶ A1 & 50		15 (48015)	15 (48015)										2 (48402)					
▶ 39A, 39D & CENTURY (OCTAGON BARREL)		28 (48028)	31 (48031)										2 (48402)					
▶ 39A (ROUND BARREL)	21	29 (48029)	16 (48016)				90 (48090)						2 (48402)					
▶ 25																		
▶ 57, 56							58 (48058)											
▶ 88, 89 & 98		18 (48018)	18 (48018)															
▶ 80, 81 & 980		12 (48012)	12 (48012)															
▶ 455		45 (48045)	46 (48046)			402 (48108)						5 (48405)	S45 (48226)	S46 (48227)		S402 (48247)		
Silver			46S (48004)			402S (48430)												
▶ 512 SLUG MASTER & 55 (DRILL & TAP) (Matte)													10M (48416)					
▶ 60, 990L, 70, 995, 882, 25MN, 883	12																	
▶ MR7		47 (48047)	46 (48046)			402 (48108)	99 (48099)											
Matte		47M (48503)	46M (48502)			402M (48429)			49718				S47 (48228)	S46 (48227)		S402 (48247)		
Silver		47S (48003)	46S (48004)			402S (48430)												
▶ MLS-50 & MLS-54, (BASES SOLD 2/PACK)		406 (48110)	406 (48110)															
▶ 1894							63B (48069)										48958	
▶ 900 IN 917, XT-22, XT-17		12 (48012)	12 (48012)															
▶ 925		12 (48012)	12 (48012)															
▶ XL7		47M (48503)	402M (48429)															
MAUSER																		
▶ RECEIVER RING ABOUT 1.410" DIAMETER (98FN)	1, 2	45 (48045)	46 (48046)			402 (48108)			49721			5 (48405)	S45 (48226)	S46 (48227)		S402 (48247)	48954	48952
Matte			48464			402M (48429)												
Silver		45S (48510)	46S (48004)			402S (48430)												
▶ RECEIVER RING ABOUT 1.300" DIAMETER (SWEDISH 96)	1, 2	55 (48055)	46 (48046)			402 (48108)						5 (48401)	S55 (48231)	S46 (48227)		S402 (48247)	48950	
▶ BAUER 3000 & 4000		68 (48068)	46 (48046)			402 (48108)												
▶ MARK X	1	55 (48055)	20A (48020)															
▶ 98																	48916	48910
MOSSBERG																		
▶ 25, 26, 42, 46M, 140, 142 & 146 45-46 W/ 3/4" DIA. BBLs		12 (48012)	13 (48013)									2 (48402)						
▶ 40		16 (48016)	21 (48021)									2 (48402)						
▶ 43, 44, 144, 46BT & 35		12 (48012)	16 (48016)									2 (48402)						
▶ 45, 46 EARLY MODELS WITH 13/16" DIA. BBLs		12 (48012)	16 (48016)									2 (48402)						
▶ 320, 340, 342 & 620		21 (48021)	21 (48021)									2 (48402)						
▶ 640							63B (48069)			49713								
▶ 680, 800 & 695-SHOTGUN (USE DUAL EXTENSION RINGS)		55 (48055)	55 (48055)										S55 (48231)	S55 (48231)				
▶ 50, 51, 151, 152, 350 & 352		12 (48012)	12 (48012)									2 (48402)						
▶ 400		20A (48020)	42 (48042)															
▶ 472, 479 & 679							80 (48080)											
▶ 464 LEVER ACTION		403 (48107)	403 (48107)															
▶ 4X4		35 (48035)	36 (48036)															
Matte		35M (48500)	36M (48502)	48460														
Silver		35S (48006)	36S (48005)	48461														
▶ 500AS (PRE 1997) & 600 SHOTGUNS							88 (48088)											
▶ 500 (1997+) 590, 535 & 835 SHOTGUNS (Matte)				48473			417M (48440)	417T (48333)										
▶ 810 & ROM7		25 (48025)	11 (48011)															
▶ 100 ATR, 1500, 1700		36 (48036)	35 (48035)			40A (48040)											48912	48900

WEAVER® MOUNT APPLICATIONS CHART MAKE/MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER	NOTES	WEAVER® ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS NO BASES REQUIRED	COMPLETE MOUNT SYSTEMS BASES w/RINGS	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES	
		STANDARD 2-PC BASES			EXTENSION BASES			1-PC	1-PC	1-PC				STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	BASE PAIRS	REAR	FRONT	1-PC	MULTI-SLOT BASES	EXT MULTI-SLOT BASES	REAR				FRONT	REAR	FRONT	1-PC	2-PC	
Matte		36M (48501)	35M (48500)		40AM (48428)						49712			S36 (48225)	S35 (48224)		S40A (48243)	48913	48901
Silver		36S (48005)	35S (48006)		40A-S (48041)														
▶ 930,935 (Matte)																			
▶ 9200																			
▶ MPV		36 (48036)	35 (48035)		40A (48040)														
Matte		36M (48501)	35M (48500)		40AM (48428)									S36 (48225)	S35 (48224)				
Silver		36S (48005)	35S (48006)		40A-S (48041)														
MUSGRAVE																			
▶ MARK I & MARK II		54 (48054)	46 (48046)		402 (48108)									S54 (48230)	S46 (48227)		S402 (48247)		
▶ MARK III & MARK IV		45 (48045)	46 (48046)		402 (48108)									S45 (48226)	S46 (48227)		S402 (48247)		
Silver		45S (48510)	46S (48004)																
NAVY ARMS																			
▶ COUNTRY BOY MUZZLELOADER		46 (48046)	46 (48046)		402 (48108)	402 (48108)	53 (48053)												
Matte		46M (48502)	46M (48502)		402M (48429)	402M (48429)								S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)		
Silver		46S (48004)	46S (48004)		402S (48430)	402S (48430)													
NEW ENGLAND FIREARMS (H & R)																			
▶ HANDY RIFLE HORNET (USE EXTRA HIGH RINGS)							82 (48082)												
▶ N.E.F. 10 GAUGE SHOTGUN		19 (48019)	19 (48019)																
▶ HUNTSMAN MUZZLELOADER	8						82 (48082)												
NEW HAVEN																			
▶ 495B (Matte)														10M (48416)					
NORINCO																			
▶ 22 AUTO (REPLICA OF BROWNING 22 AUTO)	18						60A (48064)												
▶ JW-15	12																		
OCTAGON BARREL OR FLAT TOP RECEIVERS																			
▶ CAN BE FITTED WITH THE FOLLOWING BASES:		61 (48061)	61 (48061)				50 (48050)												
PARKER-HALE																			
▶ 1000, 1000C, 1100, 1200 & 1700		45 (48045)	46 (48046)		402 (48108)									S45 (48226)	S46 (48227)		S402 (48247)		
Silver		45S (48510)	46S (48004)		402S (48430)														
▶ 2600		71 (48071)	85 (48085)																
▶ MIDLAND																			
PEDER SOLI																			
▶ LIGHTNING		75 (48075)	75 (48075)																
PUMP SHOTGUNS																			
▶ ALL PUMPS EXCEPT WIN. 42	4													8 (48408)					
RAPTOR ARMS																			
▶ SAME AS REMINGTON 700 LONG ACTION	25	36 (48036)	35 (48035)		40A (48040)	98 (48098)								1 (48401)	S36 (48225)	S35 (48224)	S40A (48243)		
Matte		36M (48501)	35M (48500)		40AM (48428)					49712					S36 (48225)	S35 (48224)	S40A (48243)		
Silver		36S (48005)	35S (48006)		40A-S (48041)														
REMINGTON																			
▶ 700, 78, 40X-L, 721 & 725 (ALL LONG ACTIONS)	25	36 (48036)	35 (48035)		40A (48040)	98 (48098)				99499				1 (48401)				48912	48900
Matte		36M (48501)	35M (48500)	48460	40AM (48428)		98T (48334)	20MOA (99486)		49712					S36 (48225)	S35 (48224)		48913	48901
Silver		36S (48005)	35S (48006)	48461	40A-S (48041)														
▶ 700, 78, 40X-S, 722 & 725 (ALL SHORT ACTIONS), 700 MZL. LDR.	25	36 (48036)	35 (48035)		40A (48040)	97 (48097)				99500				1 (48401)	S36 (48225)	S35 (48224)	S40A (48243)	48930	48900
Matte		36M (48501)	35M (48500)	48460	40AM (48428)		97T (48330)	20MOA (99485)		49712					S36 (48225)	S35 (48224)	S40A (48243)	48931	48901
Silver		36S (48005)	35S (48006)	48461	40A-S (48041)														
▶ 710,715,770		71 (48071)	71 (48071)																
▶ 783		35 (48035)	35 (48035)		40A (48040)	40A (48040)									S35 (48224)	S35 (48224)	S40A (48243)	S40A (48243)	
Matte		35M (48500)	35M (48500)		40AM (48428)														
Silver		35S (48006)	35S (48006)		40A-S (48041)														
▶ 788 ALL CALIBERS		76 (48076)	75 (48075)																
▶ 788 IN .22 MAG, .22/.250, .30/.30 CAL																			48978
▶ 788 IN .243, 6MM, .308 CAL																			48946
▶ 7 W/3 HOLES, 600, 660, XP-100, XR-100							70 (48070)							1 (48401)					

WEAVER® MOUNT APPLICATIONS CHART MAKE/MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER	NOTES	WEAVER® ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS NO BASES REQUIRED	COMPLETE MOUNT SYSTEMS BASES w/RINGS	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES	
		STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC	STANDARD				EXTENSION		1-PC	2-PC		
		REAR	FRONT	BASE PAIRS	REAR	FRONT	1-PC	MULTI-SLOT BASES	EXT MULTI-SLOT BASES	REAR				FRONT	REAR	FRONT			
▶ 7 W/4 HOLES, (NEW IN 1999), 673 (Matte)		421M (48444)	35M (48500)											S430 (48249)	S460 (48276)				
▶ 740, 742 & 760						62 (48062)				49715									48948
▶ 4, 6, 74, 76, 7400, 7600, 750						93 (48093)				49714									48914
Matte																			
▶ 8 & 81													7 (48407)						
▶ 10, 11, 12, 34*, 341*, 510, 511, 512 & 521T	6	43 (48043)	42 (48042)										2 (48402)						
▶ 12A, 121 WITH 3/4" DIAMETER BARRELS		18 (48018)	13 (48013)										2 (48402)						
▶ 121 WITH 13/16" DIAMETER BARRELS		18 (48018)	17 (48017)										2 (48402)						
▶ 12C OCTAGON BARREL		18 (48018)	31 (48031)																
▶ 14 & 141		20A (48020)	27 (48027)																
▶ 41	6	17 (48017)	17 (48017)										2 (48402)						
▶ 24 & 241	18					60A (48064)													
▶ 25		18 (48018)	21 (48021)										2 (48402)						
▶ 30 & 720		11 (48011)	11 (48011)										1 (48401)						
▶ 33	6	17 (48017)	13 (48013)										2 (48402)						
▶ 513S & 513T		43 (48043)	44 (48044)										2 (48402)						
▶ 514		16 (48016)	21 (48021)										2 (48402)						
▶ 514 (NOT DRILLED & TAPPED) & 550	4	12 (48012)	12 (48012)																
▶ 541S & 541T		15 (48015)	15 (48015)																
▶ 522 VIPER	11																		
▶ 547																			
▶ 5, 552, 572 & 581(S)	12					T22 (48459)													
▶ 597 (Matte)	25					414M (48426)													
Matte									414T (48336)										
Silver						414S (48427)													
▶ 798 (Two PC Base Pair in Matte)		55 (48055)	20A (48020)																
▶ 799 (Base Pairs in Matte #48477)		23 (48023)	71A (48010)	48477															
▶ 870, 1100, 11-87 SHOTGUNS (SEE CONVERTA MOUNT SYSTEM)	24					429M (48454)													
Matte (Multi-Slot Base)	25					48345													
▶ 11-8, 1100, SPORTSMAN 48 & 58 SHOTGUNS													8 (48408)						
▶ GENESIS (418M Sold as a Base Pair)		418M (48435)	418M (48435)	48435								48543 MD							
												48544 H							
ROSSI (ALSO SEE INTERARMS)																			
▶ .410/.22LR & .410/.17HMR SMALL FRAME MATCHED PAIR COMBO ONLY	7			48492				92A (48092)											
RUGER																			
▶ AMERICAN		46 (48046)	46 (48046)			402 (48108)	402 (48108)												
Matte		46M (48502)	46M (48502)	48466		402M (48429)	402M (48429)							S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)		48906
Silver		46S (48004)	46S (48004)	48467		402S (48430)	402S (48430)												
▶ AMERICAN RIM FIRE		12 (48012)	12 (48012)																
▶ NO. 1	1, 3, 4	85 (48085)	89 (48089)																
▶ NO. 3	1, 3, 4	85 (48085)	86 (48086)																
▶ 10/22, 22 LR CAL.	25							48335											
▶ 10/22 IN 22 LONG RIFLE CAL. (GROOVED & DRILLED), RUGER 10/22 CHARGER	16							TO-9 (48201)											
Matte	16, 25			48474				TO-9M (48505)		49711									
Silver	16							TO-9S (48009)		49734									
▶ 10/22 MAG & 77/22 (W/BUILT-IN INTEGRAL MOUNTS), 77-50 ML										49723									
Silver										49735									
▶ 96/22 & 96/22 MAGNUM	16							TO-11 (48511)											
▶ 44 CARBINE MAGNUM DEERSTALKER		47 (48047)	68 (48068)																
▶ M77 (ROUND TOP DRILLED)		79 (48079)	35 (48035)				40A (48040)												48912 48900
Matte																			48913 48901

WEAVER® MOUNT APPLICATIONS CHART MAKE/MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER	NOTES	WEAVER® ALUMINUM TOP MOUNT BASES					MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS NO BASES REQUIRED	COMPLETE MOUNT SYSTEMS BASES w/RINGS	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES	
		STANDARD 2-PC BASES		EXTENSION BASES		1-PC	1-PC	1-PC	STANDARD				EXTENSION		1-PC	2-PC		
		REAR	FRONT	BASE PAIRS	REAR	FRONT	1-PC	MULTI-SLOT BASES	EXT MULTI-SLOT BASES				REAR	FRONT	REAR	FRONT		
▶ MINI 14 / NO RINGS	25					48332												
▶ MINI 14 RANCH & MINI 30 (W/BUILT-IN INTEGRAL MOUNT) (Matte)									49723									
Silver									49735									
Silver (302S)	8							48646										
▶ MINI 14 (SIDE PLATE MULT SLOT MOUNT) (Matte)																		
▶ BLACKHAWK & SUPER BLACKHAWK (301)	8, 28							48638			48601							
Silver (301S)	8							48635										
▶ SUPER REDHAWK Silver								48497										
▶ REDHAWK (308S) Silver	8							48648										
▶ MARK II PISTOL STANDARD MOD ELS (306)	8, 13							48641										
SAKO																		
▶ A7		47 (48047)	47 (48047)															
▶ L579		72 (48072)	71 (48071)															
▶ 72, 75 & 78		85 (48085)	85 (48085)															
▶ FINNWOLF								53 (48053)										
▶ FORESTER, FINNBEAR & VIXEN (TAPERED DOVETAILS)		67 (48067)	65 (48065)															
▶ WHITETAIL HUNTER		61 (48061)	61 (48061)															
Matte		61M (48002)	61M (48002)						49727			S61 (48234)	S61 (48234)					
Silver		61S (48002)	61S (48002)															
SAUER																		
▶ 101																		
▶ 200		35 (48035)	35 (48035)			40A (48040)												
Matte		35M (48500)	35M (48500)		40AM (48428)	40AM (48428)						S35 (48224)	S35 (48224)	S40A (48243)	S40A (48243)			
Silver		35S (48006)	35S (48006)		40AS (48041)	40AS (48041)												
▶ 202												S459 (48275)	S460 (48276)					
▶ SHR 970		25 (48025)	25 (48025)						49720			S25 (48223)	S25 (48223)					
SAVAGE																		
▶ A17		46 (48046)	46 (48046)		402 (48108)	402 (48108)												
Matte		46M (48502)	46M (48502)	48347	402M (48429)	402M (48429)												
Silver		46S (48004)	46S (48004)	48467	402S (48430)	402S (48430)												
▶ AXIS SERIES, EDGE		46 (48046)	46 (48046)		402 (48108)	402 (48108)												
Matte		46M (48502)	46M (48502)	48466	402M (48429)	402M (48429)		506 (48347)				S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)		48906	
Silver		46S (48004)	46S (48004)	48467	402S (48430)	402S (48430)												
▶ 3		16 (48016)	21 (48021)									2 (48402)						
▶ 4 & 5		12 (48012)	13 (48013)									2 (48402)						
▶ 6 & 7		12 (48012)	12 (48012)									2 (48402)						
▶ 29 (ROUND BARREL)		11 (48011)	22 (48022)															
▶ 19 & 23		15 (48015)	16 (48016)									2 (48402)						
▶ 20, 340, 340E, 342, 840 & 842E	14											1 (48401)						
▶ 24	17							74 (48074)										
▶ 24 & 900S (.22 CAL RIFLES W/GROOVED RECEIVERS)	12							T0-10 (48202)										
▶ 25 VARMINT		16 (48016)	16 (48016)															
▶ 25 (OCTAGON BARREL)		19 (48019)	31 (48031)															
▶ 40 & 45		11 (48011)	11 (48011)									2 (48402)						
▶ 67 SHOTGUN								93 (48093)		49714								
▶ 93F HEAVY BARREL, 93, 93FVSS	5, 26	16 (48016)	16 (48016)															
▶ 99, 1895 & 1899	5, 26	14 (48014)	19 (48019)														48956	
▶ 170								62 (48062)		49715								
▶ 212	5, 25	46M (48502)	46M (48502)	48466	402M (48429)	402M (48429)			413T (48329)									
▶ 219		12 (48012)	30 (48030)									2 (48402)						
▶ 220 (SHOT GUN)	5, 25	46 (48046)	46 (48046)		402 (48108)	402 (48108)			413T (48329)									

WEAVER® MOUNT APPLICATIONS CHART MAKE/MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER	NOTES	WEAVER® ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES		STEEL LOCK SEE-THRU RINGS NO BASES REQUIRED	COMPLETE MOUNT SYSTEMS BASES w/RINGS	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES		
		STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC				1-PC	STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	BASE PAIRS	REAR	FRONT	1-PC	MULTI-SLOT BASES	EXT MULTI-SLOT BASES				MULTI-SLOT BASES	EXT MULTI-SLOT BASES	REAR	FRONT	REAR	FRONT	1-PC
▶ 10, 11, 12 & 16 (SHORT ACTIONS). STRIKER PSTL, 510, 512, 516, S/ A 10 ML (2-PIECE ONLY) PRE 2003 MODELS	22	61 (48061)	46 (48046)			402 (48108)	420M (48438)									48920	48902		
Matte	22	61M (48002)	46M (48502)	48465		402M (48429)							S61 (48234)	S46 (48227)		S402 (48247)	48903		
Silver	22	61S (48002)	46S (48004)			402S (48430)											48972		
▶ 110, 111, 112, 116 (LONG ACTIONS); 210 SHTG (USE X-HIGH RINGS) PRE 2003 MODELS	22	61 (48061)	46 (48046)			402 (48108)	413 (48425)					1 (48401)				48918	48902		
Matte	22	61M (48002)	46M (48502)	48465		402M (48429)	413M (48442)			49717			S61 (48234)	S46 (48227)		S402 (48247)	48903		
Silver	22	61S (48002)	46S (48004)			402S (48430)											48972		
▶ 2400		67 (48067)	65 (48065)																
▶ 10 11 12 110 111 112 114 SERIES (LONG ACTION W/ ACCUTRIGGER), STEVENS 200, 10 ML II	22	46 (48046)	46 (48046)			402 (48108)	402 (48108)												
Matte	25, 28	46M (48502)	46M (48502)	48466		402M (48429)	402M (48429)			413T (48329)					S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)	48906
Silver		46S (48004)	46S (48004)	48467		402S (48430)	402S (48430)												
▶ 10 11 12 14 110 111 112 SERIES (SHORT ACTION W/ ACCUTRIGGER) (POST 2003)	22	46 (48046)	46 (48046)			402 (48108)	402 (48108)												
Matte	25, 28	46M (48502)	46M (48502)			402M (48429)	402M (48429)			431T (48338)					S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)	48906
Silver		46S (48004)	46S (48004)	48467		402S (48430)	402S (48430)												
▶ 10 ML	22	46 (48046)	46 (48046)			402 (48108)	402 (48108)												
Matte		46M (48502)	46M (48502)			402M (48429)	402M (48429)								S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)	48906
Silver		46S (48004)	46S (48004)			402S (48430)	402S (48430)												
▶ B-MAG		18 (48018)	18 (48018)																
▶ 93R17, MARK II, 64, CUB	5, 26	16 (48016)	16 (48016)																
▶ MARK IIG (NOT DRILLED AND TAPED 3/8" GROOVE)																			
SCHULTZ & LARSEN																			
▶ SCHULTZ & LARSEN		54 (48054)	46 (48046)			402 (48108)						1 (48401)	S54 (48230)	S45 (48226)		S402 (48247)			
SEARS																			
▶ 42 & 43		12 (48012)	21 (48021)																
▶ 50 & 51		45 (48045)	46 (48046)			402 (48108)						5 (48405)	S45 (48226)	S46 (48227)		S402 (48247)			
Silver		45S (48510)	46S (48004)			402S (48430)													
▶ 51L		55 (48055)	46 (48046)			402 (48108)						1 (48401)	S55 (48231)	S46 (48227)		S402 (48247)			
▶ 53		47 (48047)	46 (48046)			402 (48108)				49718		1 (48401)							
Matte		47M (48503)	46M (48502)			402M (48429)							S47 (48228)	S46 (48227)		S402 (48247)	48909		
Silver		47S (48003)	46S (48004)			402S (48430)													
▶ 54 & 100												3B (48412)							
SHILEN																			
▶ FLAT TOP RECEIVER		61 (48061)	61 (48061)																
Matte		61M (48504)	61M (48504)										S61 (48234)	S61 (48234)					
Silver		61S (48002)	61S (48002)																
▶ ROUND RECEIVER		35 (48035)	35 (48035)			40A (48040)	40A (48040)												
Matte		35M (48501)	35M (48501)			40AM (48428)	40AM (484)						S35 (48224)	S35 (48224)	S40A (48243)	S40A (48243)			
Silver		35S (48006)	35S (48006)			40AS (48041)	40AS (48041)												
SKS																			
▶ SKS (Matte)	25						48331												
SMITH & WESSON																			
▶ I BOLT																			
▶ MAUSER ACTIONS W/SMALL REC. RING ABOUT 1.30" DIA		55 (48055)	46 (48046)			402 (48108)						1 (48401)	S55 (48231)	S46 (48227)		S402 (48247)			
▶ 1500 1600 & 1700		36 (48036)	35 (48035)			40A (48040)											48912	48900	
Matte		36M (48501)	35M (48501)			40AM (48428)				49712			S36 (48225)	S35 (48224)		S40A (48243)	48913	48901	
Silver		36S (48005)	35S (48006)			40AS (48041)													

WEAVER® MOUNT APPLICATIONS CHART MAKE/MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER	NOTES	WEAVER® ALUMINUM TOP MOUNT BASES					MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS NO BASES REQUIRED	COMPLETE MOUNT SYSTEMS BASES w/RINGS	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES	
		STANDARD 2-PC BASES		EXTENSION BASES		1-PC	1-PC	1-PC	STANDARD				EXTENSION		1-PC	2-PC		
		REAR	FRONT	BASE PAIRS	REAR	FRONT	1-PC	MULTI-SLOT BASES	EXT MULTI-SLOT BASES				REAR	FRONT	REAR	FRONT	1-PC	2-PC
▶ 29, 629, 625, 686 & L K & N FRAME RVLRS (FACTORY DRILLED)	8, 17, 23																	
Silver	8, 17, 23																	
▶ 41 PISTOL																		
▶ X-FRAME (Silver - 48496)	25																	
SPRINGFIELD																		
▶ 03	6	54 (48054)	55 (48055)									1 (48401)	S54 (48230)	S55 (48231)				
▶ 03-A3	8	59 (48059)	45 (48045)															
SPRINGFIELD ARMORY																		
▶ 1911 A-2 SASS CONVERSION																		
STEVENS																		
▶ 26		22 (48022)	22 (48022)									2 (48402)						
▶ 27 OCTAGON		31 (48031)	31 (48031)															
▶ 53		16 (48016)	21 (48021)									2 (48402)						
▶ 56 & 66		12 (48012)	13 (48013)									2 (48402)						
▶ 57, 76, 4171/2 & 762		12 (48012)	12 (48012)									2 (48402)						
▶ 110E		61 (48061)	46 (48046)				402 (48108)					1 (48401)						
Matte		61M (48504)	46M (48502)				402M (48429)			49717			S61 (48234)	S46 (48227)		S402 (48247)		
Silver		61S (48002)	46S (48004)				402S (48430)											
▶ 322 & 325												1 (48401)						
▶ 300, 305, 310, 315, CADET	5, 26	16 (48016)	16 (48016)															
▶ 416		18 (48018)	17 (48017)									2 (48402)						
▶ 417		15 (48015)	15 (48015)									2 (48402)						
▶ 418 & 418 1/2		16 (48016)	16 (48016)									2 (48402)						
▶ SAVAGE/STEVENS 200	22	46 (48046)	46 (48046)				402 (48108)	402 (48108)										
Matte	22	46M (48502)	46M (48502)				402M (48429)	402M (48429)					S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)		48906
Silver	22	46S (48004)	46S (48004)				402S (48430)	402S (48430)										
STEVENS - SPRINGFIELD																		
▶ 83		16 (48016)	21 (48021)									2 (48402)						
▶ 85, 87 & 872	4	12 (48012)	12 (48012)									2 (48402)						
▶ 840	14											1 (48401)						
STEYR MANNLICHER																		
▶ M, S		432M (48456)	432M (48456)															
STOEGER																		
▶ 3000																		
Matte																		
TAURUS																		
▶ L, K & N FRAME RVLRS (LIKE S&W FACTORY DRILLED)	8, 17, 23																	
Silver	8, 17, 23																	
▶ L & K FRAME RVLRS (307)	8																	
Silver (307S)	8																	
THOMPSON CENTER																		
▶ CONTENDER HANDGUN & CONTENDER CARBINE RIFLE																		
Silver																		
▶ SCOUT RIFLE & SCOUT PISTOL																		
▶ TCR																		
▶ THUNDERHAWK & FIREHAWK (2 EA. PER PKG.)		406 (48110)	406 (48110)															
▶ TRADITIONAL STYLE MUZZLELOADERS, NEW ENGLANDER	19																	
▶ ENCORE, OMEGA, TRIUMPH, IMPACT																		
Matte (410M)																		
Silver																		
▶ SYSTEM 1 & BLACK DIAMOND, BLK MOUNTAIN, CENTER WOODS, R55																		

WEAVER® MOUNT APPLICATIONS CHART MAKE/MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER	NOTES	WEAVER® ALUMINUM TOP MOUNT BASES						MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS NO BASES REQUIRED	COMPLETE MOUNT SYSTEMS BASES w/RINGS	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES	
		STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC	STANDARD				EXTENSION		1-PC	2-PC		
		REAR	FRONT	BASE PAIRS	REAR	FRONT	1-PC	MULTI-SLOT BASES	EXT MULTI-SLOT BASES	REAR				FRONT	REAR	FRONT	1-PC	2-PC	
Silver				411S (48633)															
▶ VENTURE		46 (48046)	46 (48046)		402 (48108)	402 (48108)													
Matte	22	46M (48502)	46M (48502)		402M (48429)	402M (48429)							S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)		48906	
Silver	22	46S (48004)	46S (48004)		402S (48430)	402S (48430)													
TIKKA																			
▶ TIKKA W/FLAT RECEIVER, T3, 500 SERIES		61 (48061)	61 (48061)																
Matte		61M (48504)	61M (48504)										S61 (48234)	S61 (48234)					
Silver		61S (48002)	61S (48002)																
▶ SAKO DESIGN W/TAPERED DOVETAIL		67 (48067)	65 (48065)																
TRADITIONS																			
▶ WHITETAIL W/OCTAGON RECEIVERS	17	61A (48061)	61A (48061)																
▶ IN-LINE MUZZLELOADERS W/ROUND RECEIVERS - Matte		418M (48435)	418M (48435)	48521							48543 MD								
Silver		418S (48453)	418S (48453)								48544 H								
U. S. CARBINE																			
▶ M1 CARBINE 30 CAL.	20											M (48409)							
VALMET																			
▶ TAPERED DOVETAIL SAKO DESIGN		67 (48067)	65 (48065)																
VOERE																			
▶ 2130	4	28 (48028)	28 (48028)																
▶ 2150, 2165/1, 2165/2, 2165/3 & 2165/4 (MAUSER ACTION)		45 (48045)	46 (48046)		402 (48108)								S45 (48226)	S46 (48227)		S402 (48247)			
Silver		45S (48510)	46S (48004)																
WEATHERBY																			
▶ VANGUARD S/A, 300	1, 22	36 (48036)	35 (48035)		40A (48040)	97 (48097)					49712							48912 48900	
Matte	1, 22	36M (48501)	35M (48500)		40AM (48428)	48330							S36 (48225)	S35 (48224)		S40A (48243)	48913 48901		
Silver	1, 22	36S (48005)	35S (48006)		40AS (48041)														
▶ VANGUARD L/A		36 (48036)	35 (48035)		40A (48040)						49712								
Matte	1, 22	36M (48501)	35M (48500)		40AM (48428)	49334		99499					S36 (48225)	S35 (48224)		S40A (48243)	48913 48901		
Silver	1, 22	36S (48005)	35S (48006)		40AS (48041)			20MOA (99486)											
▶ MARK V STD. CAL INCL. 240MAG, CENTERFIRE PISTOL, 224 VARMINTMASTER, ULTRA LIGHTWEIGHT		36 (48036)	415 (48431)																
Matte		36M (48501)	415M (48432)																
▶ XXII (INFO PER CUSTOMER)		55 (48055)	55 (48055)																
▶ FN MAUSER STYLE ACTIONS		45 (48045)	46 (48046)		402 (48108)							5 (48405)	S45 (48226)	S46 (48227)		S402 (48247)			
Silver		45S (48510)	46S (48004)		402S (48430)														
▶ MARK V MAG. CAL EXCEPT 240 MAG.		424 (48446)	35 (48035)															48976	
Matte		424M (48445)	35M (48500)		40AM (48428)														
WESTERN FIELD																			
▶ 712	6											1 (48401)							
▶ 730		25 (48025)	11 (48011)																
▶ 740								63B (48069)			49713								
Silver								63BS (48447)											
▶ 750		67 (48067)	65 (48065)																
▶ 770		55 (48055)	20A (48020)																
▶ 772								80 (48080)											
▶ 775 & 780		55 (48055)	55 (48055)										S55 (48231)	S55 (48231)					
WINCHESTER (INCLUDES RANGER MODELS)																			
▶ 03 & 63		19 (48019)	22 (48022)										2 (48402)						
▶ 06, 62, 62A & 90 W/OCTAGON BARREL		32 (48032)	32 (48032)																
▶ 05, 07 & 10		20A (48020)	17 (48017)																
▶ 42													2 (48402)						
▶ 43		18 (48018)	18 (48018)																
▶ 52 (HOLE SPACING DIFFERENT)	6, 9	25 (48025)	57 (48057)										2 (48402)						
▶ 52 (HOLE SPACING SAME)	6, 9	46 (48046)	46 (48046)		402 (48108)								2 (48402)						

WEAVER® MOUNT APPLICATIONS CHART MAKE/MODEL OF FIREARM COLOR INDICATES FINISH: BLACK MATTE SILVER	NOTES	WEAVER® ALUMINUM TOP MOUNT BASES					MULTI-SLOT BASES			STEEL LOCK SEE-THRU RINGS NO BASES REQUIRED	COMPLETE MOUNT SYSTEMS BASES w/RINGS	SIDE MOUNT USE ONLY WITH SIDE MT BRACKET	GRAND SLAM® STEEL TOP MOUNT BASES				GRAND SLAM® DOVETAIL BASES	
		STANDARD 2-PC BASES			EXTENSION BASES		1-PC	1-PC	1-PC				STANDARD		EXTENSION		1-PC	2-PC
		REAR	FRONT	BASE PAIRS	REAR	FRONT	1-PC	MULTI-SLOT BASES	EXT MULTI-SLOT BASES				REAR	FRONT	REAR	FRONT		
Matte	6, 9	46M (48502)	46M (48502)		402M (48429)	402M (48429)							S46 (48227)	S46 (48227)	S402 (48247)	S402 (48247)		
Silver	6, 9	46S (48004)	46S (48004)		402S (48430)	402S (48430)												
▶ LEVER ACTIONS 53, 55, 64, 65, 66, 71, 1886, 1892, 95 & 1895	4											3A (48403)						
▶ 54 & EARLY MOD. 70 W/SERIAL NO. BELOW #66 350	6	48 (48048)	46 (48046)			402 (48108)						1 (48401)						
▶ 57 & 69		12 (48012)	13 (48013)									2 (48402)						
▶ 60, 67 & 68	6	21 (48021)	21 (48021)															
▶ 61 W/ROUND BARREL		19 (48019)	13 (48013)									2 (48402)						
▶ 61 W/OCTAGON BARREL		25 (48025)	32 (48032)									2 (48402)						
▶ 69A, 72 & 47		12 (48012)	17 (48017)									2 (48402)						
▶ SXR	5	54 (48054)	54 (48054)															
▶ 70 LONG ACTION. (SOME 70 COYOTE SHORT ACTIONS MAY TAKE LA BASE) (HOLE SPACING SAME) 670, 770	9	47 (48047)	46 (48046)			402 (48108)	96 (48096)		99483 PRE 2008			1 (48401)						
Matte		47M (48503)	46M (48502)	48468		402M (48429)			20MOA 99479 PRE 2008	49718			S47 (48228)	S46 (48227)		S402 (48247)		
Silver		47S (48003)	46S (48004)			402S (48430)												
▶ 70 LONG ACTION (HOLE SPACING DIFFERENT) & 70 SUPER EXPRESS	9	49A (48049)	46 (48046)			402 (48108)												
▶ 70 SHORT ACTION (1984+)		47 (48047)	46 (48046)			402 (48108)	99 (48099) PRE 2008		99484 PRE 2008			1 (48401)						
Matte		47M (48503)	46M (48502)	48468		402M (48429)			20MOA 99478 PRE 2008	49718			S47 (48228)	S46 (48227)		S402 (48247)		
Silver		47S (48003)	46S (48004)			402S (48430)												
▶ 70 WSM		47 (48047)	46 (48046)			402 (48108)												
Matte		47M (48503)	46M (48502)			402M (48429)												
Silver		47S (48003)	46S (48004)			402S (48430)												
▶ 70 WSSM		428 (48451)	46 (48046)															
▶ 74		12 (48012)	12 (48012)									2 (48402)						
▶ 75 SPORTER		15 (48015)	30 (48030)									2 (48402)						
▶ 75 TARGET		15 (48015)	16 (48016)									2 (48402)						
▶ 77		15 (48015)	32 (48032)									2 (48402)						
▶ 88 & 100							53 (48053)											48942
▶ 94 PRE '64	4											3D (48415)						
▶ 94 POST '64 & 94 TRAPPER												3B (48412)						
▶ 94 BIG BORE 375												3C (48413)						
▶ 94 ANGLE-EJECT BIG BORE		95 (48095)	403 (48107)															
▶ 94 ANGLE-EJECT (EXCEPT EARLIEST MODELS) (Two PC Base Pair in Matte)		95 (48095)	94 (48094)	48475						49716								48944
▶ 94/22	16						TO-10 (48202)											
▶ 520		85 (48085)	85 (48085)															
▶ WILD CAT		12 (48012)	12 (48012)															
▶ 777		71 (48071)	71 (48071)															
▶ 50 SHOTGUN												8 (48408)						
▶ X-150, APEX MUZZLELOADERS (Matte)		418M (48435)	418M (48435)															
Silver		418S (48453)	418S (48453)															
▶ XSR		55 (48055)	55 (48055)															
▶ 1200, 1300 & 1400								416T (48337)										

To find the correct base or mount to fit your firearm, you need to know the product number. To do this, follow these steps:

1. In the firearm column, find the manufacturer and make/model of your firearm (for example, Browning A-Bolt).
2. Next, find the 5-digit Product Number (for example: 48955), in the desired Product Category column (for example Grand Slam Dovetail Bases). NOTE: in some cases, you will find a short reference number (for example, 60A) listed in the chart. Use this reference number to find the appropriate Product Number.
3. Product Numbers are found near the appropriate product description sections placed throughout the catalog. If necessary, match the reference numbers to product numbers.

Notes:

1. Shimming is probably required for perfect scope alignment.
2. Rear base may require modifications for correct fit to military actions.
3. Front base may require modification for correct fit.
4. Gun will have to be drilled and tapped.
5. Front base screws must be shortened by grinding.
6. May require bolt and/or safety alteration, otherwise firearm cannot function safely and properly. Consult with a qualified gunsmith.
7. BASE DOES NOT FIT ROSSI LARGE FRAME MATCHED PAIR COMBOS (ALL MODELS WITH 20 OR 12 GA SHOTGUN BARRELS).
8. Remove rear sight to use.
9. The handiest way to pinpoint the correct base for the Win. 52 & Win. 70 Long action Rifles is to check the spacing of the tapped holes for the rear base and compare it to the hole spacing for the front base. Does it have:

HOLE SPACING THE SAME		HOLE SPACING IS DIFFERENT	
Model 52	Use 46+ 46	Model 52	Use 25+ 57
Model 70	Use 47+ 46	Model 70	Use 49A+ 46
10. The Weaver type base built into this rifle will accept Weaver rings but our highest ring (1" See-Thru #49513) still isn't high enough to clear the front sight.
11. The Weaver type base built into this firearm will accept any Detachable Top Mount Weaver Ring.
12. Rifle has Grooved Receiver for Tip-Off Rings.
13. Ruger Mark II Pistols. Weaver only offers a clamp on base with 1" rings (Pistol Mount System #306). Ruger supplies a short or long base and 1" or 30mm rings w/factory drilled and tapped pistols. Contact Ruger for these items.
14. Bolt clearance problem may exist and scope will not be centered.
15. Base accepts Tip-Off Rings only.
16. T0-9, T0-10 & T0-11 bases accept either Detachable Top Mount Rings or Tip-Off Rings. Each have crossbolt slots and 3/8" grooves for both applications.
17. Must be factory drilled and tapped.
18. One-Piece base attaches to barrel and extends back over receiver.
19. Requires the use of Thompson/Center base adapter.
20. Requires drilling and tapping 4 holes in receiver and relief space cut in stock to clear base.
21. Rear base is positioned on top of receiver and front base is positioned on the barrel. Drilling & tapping required. One-piece base mounts with 2 set screws & newer guns are factory drilled & tapped.
22. For shorter tube scopes or red dot scopes use #402 extension front base or one-piece base if available. Extension base allows an extra .689".
23. WARNING: NOT FOR USE WITH X-FRAME REVOLVERS. USE ON FIREARMS OTHER THAN THOSE LISTED MAY CAUSE INJURY.
24. Top mount base is designed to fit 12GA models only.
25. Can be used with Tactical Multi Slot Base.
26. Rear base screws must be shortened by grinding.
27. Tactical Extended Multi-Shot Bases have 20 MOA versions as well. See product information section on page 13 for details.
28. This mount will not work on Ruger Blackhawk pistols with a flattop receiver.

